





Millennium
Plafon PVC

NATURAL TEXTURE
ECO-FRIENDLY
INNOVATIVE Processes

Decking | Cladding | Hollow | Ceiling

WPC OUTDOOR LIVING SERIES



DECKING SERIES

NewGen

A dual-sided board, giving two colour choices per board

04

3D Plus

Featuring refined surface texture, they closely mimic the natural beauty of wood, enhancing aesthetic appeal.

16

Baseline

These grooves allow for a cleaner, fastener-free surface appearance and can also aid in water drainage.

30



WALL SERIES

Wall Cladding

Offer numerous advantages, including waterproof, moisture-proof, and resistant to insects and decay

46

Hollow Partisi

Highly resistant to moisture, rot, and insect damage, making them ideal for outdoor use.

61

Ceiling Plafon

Require minimal maintenance, eliminating the need for frequent painting, staining, or sealing.

81



Millennium
Plafon PVC



NewGen

A dual-sided board, giving two colour choices per board. This ensures it acts as a stylish option while maintaining excellent durability and resistance to warping, rotting and the associated effects of adverse weather



NewGen



180°
Dual
Sided



CD06 Teak Classic



Honey Oak



180°
Dual
Sided



CD07 Mahogany Royal



Espresso Walnut



Millennium
Plafon PVC

NewGen Index

TECHNICAL SPECIFICATION

Size : 138 x 22.5 x 2900mm

Weight : 8.35 KG / PCS

Coverage : 0.40 M2 / PCS

Surface : CO Extrusion



Dual Sided

Allows you the benefit of having two board options available four stunning colours.



Fire Prevention

Making them perfect for commercial applications alongside our residential decking ranges.



Waterproof

This keeps the living area or storage area beneath the decking surface completely dry.



UV Resistant

Provides reassurance that repeated summers of sunshine won't damage and effect the look and finish of the boards.



Durable

Will not warp, bend or splinter like traditional timber decking. Rot and decay are a thing of the past.



Recycled material

There is the equivalent of more than 3,000 recycled plastic bottle caps per square metre of decking.





CD06 | Teak Classic

NewGen

WPC Exterior Series



Size : 22.5 x 138 x 2900mm

CD06 | Teak Classic



CD06 | Honey Oak

NewGen

WPC Exterior Series



Size : 22.5 x 138 x 2900mm

CD06 | Honey Oak



Millennium
Plafon PVC

CD07 | Royal Mahogany

NewGen

WPC Exterior Series



Size : 22.5 x 138 x 2900mm

CD07 | Royal Mahogany



Millennium
Plafon PVC

CD07 | Espresso Walnut

NewGen

WPC Exterior Series



Size : 22.5 x 138 x 2900mm

CD07 | Espresso Walnut






3D Plus

3D Plus composite decking offers you stunning appearance of wood but without the maintenance issues or impracticality. Featuring refined surface texture, they closely mimic the natural beauty of wood, enhancing aesthetic appeal.



CD01 Chocolate



CD02 Grey



CD03 Teak



CD04 Mahogany



CD05 Espresso

3D+ Layer Structure

Realistic Woodgrain

Featuring refined surface texture, they closely mimic the natural beauty of wood, enhancing aesthetic appeal



Fire Prevention

3D Embossed Plus boards meet EN1350-1 Class B fire regulations, making them perfect for commercial applications alongside our residential decking ranges.



Durable

3D Embossed Plus will not warp, bend or splinter like traditional timber decking. Rot and decay are a thing of the past



UV Resistant

3D Embossed Plus provides reassurance that repeated summers of sunshine won't damage and effect the look and finish of the boards.



Waterproof

3D Embossed Plus keeps the living area or storage area beneath the decking surface completely dry.



Anti-fungal

3D Embossed Plus naturally resistant to mould and fungus, the number one causes of rot & decay in traditional timber



Recycled Material

There is the equivalent of more than 3.00 recycled plastic bottle caps per square metre of decking



3D Plus Index

TECHNICAL SPECIFICATION

Size : 150 x 23 x 2900mm

Thickness : 23mm

Weight : 8 kg

Coverage : 0.435 M2 / PCS

Surface : 3D Embossing



Realistic Woodgrain

They closely mimic the natural beauty of wood



Fire Prevention

Making them perfect for commercial applications alongside our residential decking ranges.



Waterproof

This keeps the living area or storage area beneath the decking surface completely dry



UV Resistant

Provides reassurance that repeated summers of sunshine won't damage and effect the look and finish of the boards.



Durable

Will not warp, bend or splinter like traditional timber decking. Rot and decay are a thing of the past



Recycled material

There is the equivalent of more than 3,000 recycled plastic bottle caps per square metre of decking






Millennium
Plafon PVC

CD01 | Chocolate

3D Plus

WPC Exterior Series



Size : 23 x 150 x 2900mm

CD01 | Chocolate




Millennium
Plafon PVC

CD02 | Grey

3D Plus

WPC Exterior Series



Size : 23 x 150 x 2900mm

CD02 | Grey




Millennium
Plafon PVC

CD03 | Teak

3D Plus

WPC Exterior Series



Size : 23 x 150 x 2900mm

CD03 | Teak




Millennium
Plafon PVC



CD04 | Mahogany

3D Plus

WPC Exterior Series



Size : 23 x 150 x 2900mm

CD04 | Mahogany




Millennium
Plafon PVC

CD05 | Espresso

3D Plus

WPC Exterior Series




Size : 23 x 150 x 2900mm

CD05 | Espresso



Millennium
Plafon PVC





Baseline

These grooves allow for a cleaner, fastener-free surface appearance and can also aid in water drainage. Grooved decking can offer a more modern and visually appealing look, with some users preferring the grooved side for its texture and potential slip resistance.



MD01 Warm Cherry



MD02 Teak Classic



MD03 Dark Walnut

Baseline Layer Structure

Improved airflow

The ridges on the underside of the board allow for better air circulation between the decking and the supporting structure.



Fire Prevention

Modern Groove boards meet EN1350-1 Class B fire regulations, making them perfect for commercial applications alongside our residential decking ranges.



Durable

Modern Groove will not warp, bend or splinter like traditional timber decking. Rot and decay are a thing of the past.



UV Resistant

Modern Groove provides reassurance that repeated summers of sunshine won't damage and effect the look and finish of the boards.



Waterproof

Modern Groove keeps the living area or storage area beneath the decking surface completely dry.




Anti-fungal

Modern Groove naturally resistant to mould and fungus, the number one causes of rot & decay in traditional timber.



Recycled Material

There is the equivalent of more than 3.00 recycled plastic bottle caps per square metre of decking.



Baseline Index

TECHNICAL SPECIFICATION

Size : 145 x 24.5 x 2900mm

Thickness : 24.5mm

Weight : 6.68kg / PCS

Coverage : 0.421 M2 / PCS

Surface : Sanding Brushed



Improved airflow

Better air circulation between the decking and the supporting structure.



Fire Prevention

Making them perfect for commercial applications alongside our residential decking ranges.



Waterproof

This keeps the living area or storage area beneath the decking surface completely dry



UV Resistant

Provides reassurance that repeated summers of sunshine won't damage and effect the look and finish of the boards.



Durable

Will not warp, bend or splinter like traditional timber decking. Rot and decay are a thing of the past



Recycled material

There is the equivalent of more than 3,000 recycled plastic bottle caps per square metre of decking





Millennium
Plafon PVC

MD01 | Warm Cherry

Baseline

WPC Exterior Series



Size : 24.5 x 145 x 2900mm

MD01 | Warm Cherry



Millennium
Plafon PVC



MD02 | Teak Classic

Baseline

WPC Exterior Series



Size : 24.5 x 145 x 2900mm

MD02 | Teak Classic



Millennium
Plafon PVC

MD03 | Dark Walnut


Baseline

WPC Exterior Series





Size : 24.5 x 145 x 2900mm

MD03 | Dark Walnut










WPC Decking Outdoor Applications





WPC Decking Outdoor Applications





1 Waterproof and anti-slip

The surface is non-slip, non-crack, and non-deformed

2 Fire protection



3 Easy installation



4 UV Resistance




5 Realistic woodgrain







Installation Methods




1 Fix the joist




2 Install the decking board




3 Use the clip to join



4 Install them one by one



5 Cover the side



6 Fasten the side panel




1 Joist



2 Starting Clip



3 Stainless Clip



4 Fishers



5 Plastic Clip



6 Side Cover